	Application No.	Applicant(s)	1
	10/057,955	NOMURA ET AL.	0
Notice of Allowability	Examiner	Art Unit	
	Ramesh B. Patel	2121	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commi IGHTS. This application is	n this application. If not included unication will be mailed in due cou	rse. THIS
1. This communication is responsive to 5/11/2004.			
2. The allowed claim(s) is/are <u>1-39</u> .			
3. The drawings filed on are accepted by the Examine	r.		
 4.	e been received. e been received in Application cuments have been received of this communication to file MENT of this application. eitted. Note the attached EXA reason(s) why the oath of the submitted. es reason's Patent Drawing Review of Samendment / Comment of the header according to 37 CF sit of BIOLOGICAL MAT	on No In this national stage application In a reply complying with the require AMINER'S AMENDMENT or NOTE In declaration is deficient. In the Office action of the drawings in the front (not the back In the Table 1.121(d). ERIAL must be submitted. Note	ements ICE OF
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No. 08), 7. ☐ Examiner's	formal Patent Application (PTO-15) ummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allowar Ramesh B. Patel Primary Examiner	. '

Application/Control Number: 10/057,955

Art Unit: 2121

DETAILED ACTION

1. Claims 1-39 are allowed.

Drawings

- 2. Figure 19 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated and as stated in the disclosure on page 41, line 10, "Fig. 19 is a block diagram showing prior art.". See MPEP § 608.02(g). Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 3. The following is an examiner's statement of reasons for allowance: the applicant's arguments filed on 5/11/2004 regarding claims 1-39 are persuasive.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

BEST AVAILABLE COPY

Art Unit: 2121

Any inquiry concerning this communication or earlier communications from the 4. examiner should be directed to Ramesh B. Patel whose telephone number is 703-308-6673. The examiner can normally be reached on M-Th; 7:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Knight can be reached on 703-308-3179. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ramesh B. Patel 6/25/04 Primary Examiner

Art Unit 2121

rp